

WT 720 Traglasttabellen



2 – Strang

Ausladung [m]				25,0	27,5	30,0	32,5	35,0	37,5	40,0	42,5	45,0	47,5	50,0	52,5	55,0	57,5	60,0	62,5	65,0	67,5	70,0	72,5	75,0	77,5	80,0	82,5	85,0	
Auslegerlänge [m]	85,0	3,5	-	35,6	16,0	16,0	16,0	16,0	16,0	15,1	14,1	13,1	12,3	11,6	10,9	10,3	9,8	9,3	8,8	8,4	8,0	7,6	7,3	7,0	6,7	6,4	6,2	5,9	5,7
	82,5	3,5	-	37,4	16,0	16,0	16,0	16,0	16,0	15,9	14,8	13,9	13,0	12,2	11,5	10,9	10,3	9,8	9,3	8,9	8,5	8,1	7,7	7,4	7,1	6,8	6,6	6,3	
	80,0	3,5	-	39,0	16,0	16,0	16,0	16,0	16,0	16,0	15,5	14,5	13,6	12,8	12,1	11,4	10,8	10,3	9,8	9,3	8,9	8,5	8,1	7,8	7,5	7,2	6,9		
	77,5	3,5	-	40,4	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,1	14,2	13,3	12,6	11,9	11,3	10,7	10,2	9,7	9,3	8,9	8,5	8,1	7,8	7,5			
	75,0	3,5	-	41,2	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,4	14,5	13,6	12,9	12,2	11,5	11,0	10,4	9,9	9,5	9,1	8,7	8,3	8,0				
	72,5	3,5	-	41,8	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,7	14,8	13,9	13,1	12,4	11,8	11,2	10,6	10,1	9,7	9,3	8,9	8,5				
	70,0	3,5	-	42,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,8	14,8	13,9	13,2	12,4	11,8	11,2	10,7	10,2	9,7	9,3	8,9					
	67,5	3,5	-	42,8	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,1	14,2	13,4	12,7	12,1	11,5	10,9	10,4	9,9	9,5						
	65,0	3,5	-	44,1	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,7	14,7	13,9	13,2	12,5	11,9	11,3	10,8	10,3							
	62,5	3,5	-	44,2	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,7	14,8	13,9	13,2	12,5	11,9	11,3	10,8								
	60,0	3,5	-	44,8	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,9	15,0	14,1	13,4	12,7	12,1	11,5									
	57,5	3,5	-	45,2	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,1	14,3	13,5	12,8	12,2										
	55,0	3,5	-	45,7	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,3	14,5	13,7	13,0											
	52,5	3,5	-	46,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,4	14,6	13,8												
	50,0	3,5	-	46,6	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,7	14,8													
	47,5	3,5	-	47,2	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,9													
	45,0	3,5	-	45,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0														
	42,5	3,5	-	42,5	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0															
	40,0	3,5	-	40,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0																	
	37,5	3,5	-	37,5	16,0	16,0	16,0	16,0	16,0	16,0																			
35,0	3,5	-	35,0	16,0	16,0	16,0	16,0	16,0																					
32,5	3,5	-	32,5	16,0	16,0	16,0	16,0																						
30,0	3,5	-	30,0	16,0	16,0	16,0																							
27,5	3,5	-	27,5	16,0	16,0																								
25,0	3,5	-	25,0	16,0																									



Die Traglast bezieht sich auf 40 m Hakenweg. Bei größerem Hakenweg verringert sich die Traglast um das Gewicht des Hubseils (beim 2 - fachen Seilstrang = 4,0 kg/m)

WT 720 Traglasttabellen



2 – Strang WILBERTloadplus


Ausladung [m]				25,0	27,5	30,0	32,5	35,0	37,5	40,0	42,5	45,0	47,5	50,0	52,5	55,0	57,5	60,0	62,5	65,0	67,5	70,0	72,5	75,0	77,5	80,0	82,5	85,0
Auslegerlänge [m]	85,0	3,5	-	37,8	16,0	16,0	16,0	16,0	16,0	15,0	14,1	13,2	12,4	11,7	11,0	10,5	9,9	9,4	9,0	8,6	8,2	7,8	7,5	7,2	6,9	6,6	6,4	6,2
	82,5	3,5	-	39,7	16,0	16,0	16,0	16,0	16,0	15,9	14,8	13,9	13,1	12,4	11,7	11,1	10,5	10,0	9,5	9,1	8,7	8,3	8,0	7,7	7,4	7,1	6,8	
	80,0	3,5	-	41,5	16,0	16,0	16,0	16,0	16,0	16,0	15,6	14,6	13,7	13,0	12,3	11,6	11,0	10,5	10,0	9,6	9,2	8,8	8,4	8,1	7,7	7,5		
	77,5	3,5	-	43,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,2	14,3	13,5	12,8	12,1	11,5	11,0	10,5	10,0	9,6	9,2	8,8	8,4	8,1	7,7		
	75,0	3,5	-	43,9	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,6	14,6	13,8	13,1	12,4	11,8	11,2	10,7	10,2	9,8	9,4	9,0	8,6				
	72,5	3,5	-	44,6	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,9	14,9	14,1	13,3	12,7	12,0	11,5	10,9	10,4	10,0	9,6	9,2				
	70,0	3,5	-	44,8	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,9	15,0	14,2	13,4	12,7	12,1	11,5	11,0	10,5	10,0	9,6					
	67,5	3,5	-	45,7	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,3	14,5	13,7	13,0	12,3	11,8	11,2	10,7	10,3						
	65,0	3,5	-	47,1	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,9	15,0	14,2	13,5	12,8	12,2	11,6	11,1							
	62,5	3,5	-	47,2	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,9	15,0	14,2	13,5	12,8	12,2	11,7								
	60,0	3,5	-	47,9	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,3	14,4	13,7	13,0	12,4									
	57,5	3,5	-	48,3	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,4	14,6	13,9	13,2										
	55,0	3,5	-	48,9	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,6	14,8	14,0											
	52,5	3,5	-	49,3	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	15,7	14,9											
	50,0	3,5	-	50,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0												
	47,5	3,5	-	47,5	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0													
	45,0	3,5	-	45,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0														
	42,5	3,5	-	42,5	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0															
	40,0	3,5	-	40,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0																	
	37,5	3,5	-	37,5	16,0	16,0	16,0	16,0	16,0	16,0																		
35,0	3,5	-	35,0	16,0	16,0	16,0	16,0	16,0																				
32,5	3,5	-	32,5	16,0	16,0	16,0	16,0																					
30,0	3,5	-	30,0	16,0	16,0	16,0																						
27,5	3,5	-	27,5	16,0	16,0																							
25,0	3,5	-	25,0	16,0																								



Die Traglast bezieht sich auf 40 m Hakenweg. Bei größerem Hakenweg verringert sich die Traglast um das Gewicht des Hubseils (beim 2 - fachen Seilstrang = 4,0 kg/m)

4 – Strang


Ausladung [m]				25,0	27,5	30,0	32,5	35,0	37,5	40,0	42,5	45,0	47,5	50,0	52,5	55,0	57,5	60,0	62,5	65,0	67,5	70,0	72,5	75,0	77,5	80,0	82,5	85,0	
Auslegerlänge [m]	85,0	3,5	-	18,3	22,9	20,7	18,8	17,2	15,8	14,6	13,6	12,7	11,9	11,2	10,5	9,9	9,4	8,9	8,4	8,0	7,6	7,3	7,0	6,7	6,4	6,1	5,9	5,6	5,4
	82,5	3,5	-	19,2	24,2	21,8	19,8	18,2	16,7	15,5	14,4	13,4	12,6	11,8	11,1	10,5	10,0	9,4	9,0	8,5	8,1	7,8	7,4	7,1	6,8	6,5	6,2	6,0	
	80,0	3,5	-	20,1	25,3	22,8	20,8	19,0	17,5	16,2	15,1	14,1	13,2	12,4	11,7	11,1	10,5	9,9	9,4	9,0	8,6	8,2	7,8	7,5	7,2	6,9	6,6		
	77,5	3,5	-	20,8	26,3	23,7	21,6	19,8	18,3	16,9	15,7	14,7	13,8	12,9	12,2	11,5	10,9	10,4	9,9	9,4	9,0	8,5	8,2	7,8	7,5	7,2			
	75,0	3,5	-	21,2	26,9	24,3	22,1	20,3	18,7	17,3	16,1	15,0	14,1	13,3	12,5	11,8	11,2	10,6	10,1	9,6	9,2	8,8	8,4	8,0	7,7				
	72,5	3,5	-	21,6	27,4	24,7	22,5	20,6	19,0	17,6	16,4	15,3	14,4	13,5	12,7	12,0	11,4	10,8	10,3	9,8	9,4	8,9	8,6	8,2					
	70,0	3,5	-	21,7	27,5	24,8	22,6	20,7	19,1	17,7	16,5	15,4	14,4	13,6	12,8	12,1	11,5	10,9	10,4	9,9	9,4	9,0	8,6	8,2					
	67,5	3,5	-	22,1	28,1	25,3	23,1	21,2	19,5	18,1	16,8	15,7	14,8	13,9	13,1	12,4	11,7	11,1	10,6	10,1	9,6	9,2							
	65,0	3,5	-	22,8	29,0	26,2	23,9	21,9	20,2	18,7	17,4	16,3	15,3	14,4	13,6	12,8	12,2	11,6	11,0	10,5	10,0								
	62,5	3,5	-	22,9	29,1	26,3	23,9	21,9	20,2	18,8	17,5	16,3	15,3	14,4	13,6	12,9	12,2	11,6	11,0	10,5									
	60,0	3,5	-	23,2	29,5	26,7	24,3	22,3	20,6	19,1	17,8	16,6	15,6	14,6	13,8	13,1	12,4	11,8	11,2										
	57,5	3,5	-	23,4	29,8	27,0	24,6	22,5	20,8	19,3	17,9	16,8	15,7	14,8	14,0	13,2	12,5	11,9											
	55,0	3,5	-	23,7	30,2	27,3	24,9	22,8	21,0	19,5	18,2	17,0	15,9	15,0	14,2	13,4	12,7												
	52,5	3,5	-	23,8	30,4	27,5	25,1	23,0	21,2	19,7	18,3	17,1	16,1	15,1	14,3	13,5													
	50,0	3,5	-	24,2	30,9	27,9	25,4	23,3	21,5	20,0	18,6	17,4	16,3	15,4	14,5														
	47,5	3,5	-	24,5	31,4	28,3	25,8	23,7	21,9	20,3	18,9	17,7	16,6	15,6															
	45,0	3,5	-	24,8	31,8	28,7	26,2	24,0	22,1	20,5	19,1	17,9	16,8																
	42,5	3,5	-	24,9	31,9	28,9	26,3	24,1	22,3	20,7	19,2	18,0																	
	40,0	3,5	-	25,3	32,0	29,2	26,6	24,4	22,6	20,9	19,5																		
	37,5	3,5	-	25,4	32,0	29,5	26,9	24,6	22,7	21,1																			
35,0	3,5	-	25,7	32,0	29,8	27,2	24,9	23,0																					
32,5	3,5	-	25,8	32,0	29,9	27,2	25,0																						
30,0	3,5	-	26,0	32,0	30,2	27,5																							
27,5	3,5	-	26,0	32,0	30,2																								
25,0	3,5	-	25,0	32,0																									



Die Traglast bezieht sich auf 40 m Hakenweg. Bei größerem Hakenweg verringert sich die Traglast um das Gewicht des Hubseils (beim 4 - fachen Seilstrang = 8,0 kg/m)

4 – Strang WILBERTloadplus

Ausladung [m]				25,0	27,5	30,0	32,5	35,0	37,5	40,0	42,5	45,0	47,5	50,0	52,5	55,0	57,5	60,0	62,5	65,0	67,5	70,0	72,5	75,0	77,5	80,0	82,5	85,0	
Auslegerlänge [m]	85,0	3,5	-	19,4	24,4	22,0	20,0	18,3	16,9	15,6	14,5	13,6	12,7	11,9	11,2	10,6	10,0	9,5	9,1	8,6	8,2	7,8	7,5	7,2	6,9	6,6	6,3	6,1	5,8
	82,5	3,5	-	20,4	25,8	23,2	21,1	19,4	17,9	16,5	15,4	14,4	13,5	12,7	11,9	11,3	10,7	10,1	9,6	9,2	8,7	8,3	8,0	7,6	7,3	7,0	6,7	6,5	
	80,0	3,5	-	21,3	27,0	24,4	22,2	20,3	18,7	17,4	16,2	15,1	14,1	13,3	12,5	11,9	11,2	10,7	10,1	9,7	9,2	8,8	8,4	8,1	7,7	7,4	7,1		
	77,5	3,5	-	22,1	28,1	25,4	23,1	21,2	19,5	18,1	16,8	15,7	14,8	13,9	13,1	12,4	11,7	11,1	10,6	10,1	9,6	9,2	8,8	8,4	8,1	7,8			
	75,0	3,5	-	22,6	28,7	26,0	23,6	21,7	20,0	18,5	17,3	16,1	15,1	14,2	13,4	12,7	12,0	11,4	10,9	10,4	9,9	9,5	9,0	8,7	8,3				
	72,5	3,5	-	23,0	29,3	26,5	24,1	22,1	20,4	18,9	17,6	16,4	15,4	14,5	13,7	13,0	12,3	11,7	11,1	10,6	10,1	9,7	9,2	8,9					
	70,0	3,5	-	23,1	29,4	26,6	24,2	22,2	20,5	19,0	17,7	16,5	15,5	14,6	13,8	13,0	12,3	11,7	11,2	10,6	10,1	9,7	9,3						
	67,5	3,5	-	23,6	30,1	27,2	24,7	22,7	20,9	19,4	18,1	16,9	15,9	14,9	14,1	13,3	12,6	12,0	11,4	10,9	10,4	9,9							
	65,0	3,5	-	24,4	31,1	28,1	25,6	23,5	21,7	20,1	18,7	17,5	16,4	15,5	14,6	13,8	13,1	12,5	11,9	11,3	10,8								
	62,5	3,5	-	24,4	31,2	28,2	25,7	23,6	21,7	20,2	18,8	17,6	16,5	15,5	14,7	13,9	13,1	12,5	11,9	11,3									
	60,0	3,5	-	24,8	31,7	28,6	26,1	23,9	22,1	20,5	19,1	17,9	16,8	15,8	14,9	14,1	13,4	12,7	12,1										
	57,5	3,5	-	25,0	32,0	28,9	26,4	24,2	22,3	20,7	19,3	18,1	16,9	16,0	15,1	14,3	13,5	12,9											
	55,0	3,5	-	25,3	32,0	29,3	26,7	24,5	22,6	21,0	19,6	18,3	17,2	16,2	15,3	14,5	13,7												
	52,5	3,5	-	25,5	32,0	29,6	26,9	24,7	22,8	21,2	19,7	18,5	17,3	16,3	15,4	14,6													
	50,0	3,5	-	25,9	32,0	30,0	27,4	25,1	23,2	21,5	20,1	18,8	17,6	16,6	15,7														
	47,5	3,5	-	26,3	32,0	30,5	27,8	25,5	23,5	21,8	20,4	19,1	17,9	16,8															
	45,0	3,5	-	26,6	32,0	30,9	28,2	25,9	23,9	22,2	20,6	19,3	18,1																
	42,5	3,5	-	26,8	32,0	31,1	28,3	26,0	24,0	22,3	20,8	19,4																	
	40,0	3,5	-	27,1	32,0	31,5	28,7	26,4	24,3	22,6	21,1																		
	37,5	3,5	-	27,3	32,0	31,8	29,0	26,6	24,6	22,8																			
35,0	3,5	-	27,6	32,0	32,0	29,3	26,9	24,8																					
32,5	3,5	-	27,7	32,0	32,0	29,4	27,0																						
30,0	3,5	-	28,0	32,0	32,0	29,7																							
27,5	3,5	-	27,5	32,0	32,0																								
25,0	3,5	-	25,0	32,0																									



Die Traglast bezieht sich auf 40 m Hakenweg. Bei größerem Hakenweg verringert sich die Traglast um das Gewicht des Hubseils (beim 4-fachen Seilstrang = 8,0 kg/m)